


Gémini

Created by Philippe MICHEL

GEMINI LAMP WITH FLUORESCENT BULB – GE 2 x 9

Created by Philippe Michel, the GEMINI lamp belongs to the same family of the ISOS lamp, the only difference being the head that receives two fluorescent bulbs of 9 W each. This model was created to fit workstations equipped with display screens equipment. The arm with its two flexible hinges can be set in any position.

For more information on this product download the technical sheet on www.manade.com




References

- GEMINI with clamp : **GE 2 x 9 P**
- GEMINI with base : **GE 2 x 9 S**
- GEMINI with standard spigot : **GE 2 x 9 A**
- GEMINI with special spigot : **GE 2 x 9 AS**
- GEMINI with adaptor for table top : **GE 2x9 OBTU**



Made in aluminium and ABS.
Ballast integrated in the base of the lamp.
High performance ballast, class EEI : B2
2.50 m. electrical wire length.
Assembling double isolation, class 2.
Complies with European standards CE,
NF EN 60598.1 and 60598.2.4.
National mark of conformity NF.





DOUBLE LIGHTING INTENSITY

The GEMINI lamp has two switches, the first one on the top of the head, controls the lighting, the second on the bottom, allows the use of one or two bulbs according to the level of lighting requested by the task.

Work on VDU screens

The users turns on only one bulb, the level of light of the 9 W bulb fit perfectly the level requested (300 to 500 Lux).



Administrative work

The users turns on two bulbs, giving a light average level of 500 to 900 Lux adapted to the general administrative tasks.

A fluorescent bulb of 9 W provides the same light power than a 60 W filament bulb, its energy consumption is reduced by 70 % - 80 % and bulb life expectancy is over 8000 hours (6 times more than filament bulb). This bulb offers a good visual comfort and excellent colour interpretation with few shadows. The heat emission is very low. Luminous flux : 1200 Lumens (600 lm x 2). Colour heat : 4000° K (or 2700° K or 6000° K on demand).

ANTI GLARE DIFFUSER FOR ASYMMETRIC LIGHTING - GEG

This optional high efficiency diffuser allows the adjustment of the light beam towards the front part of the head and grants an asymmetric light that avoid any reflection. Made of metal finish ABS.



FIXTURES FOR GEMINI LAMP

- Flat Steel base (weight 2.6 Kg)
- Zamak clamp (opening 80 mm – depth 60 mm)
- Special spigots are available to adapt the lamp to different office furniture systems.